

ORDER FORM

Note: Due to our privacy and security policies, we require a separate form to be completed for billing information.

Factory Use Only

Production #: _____

Shipping Info. Date of Order _____

Customer Name: _____

Address: _____

City: _____ **State:** _____ **Zip:** _____

Contact Phone: _____

E-Mail: _____

PO#: _____

Please complete one of the "Custom Dimension Forms" attached. Templates or customer drawings welcome.

Model Number	Size	Description	Qty	Cost Each	Extended
QS-CUSTOM	CUSTOM	Qwick-Slope (per attached specs)		Per Quote	
42202		Drain w/ Round Chrome Strainer		\$ 19.95	
42237		Drain w/ Square Chrome Strainer		\$ 19.95	
42202-SO		Side Outlet Drain w/ Round Chrome Strainer		\$ 29.95	
42237-SO		Side Outlet Drain w/ Square Chrome Strainer		\$ 29.95	
S-R-UP	Round Only	*Strainer Upgrade (_____)		\$ 24.95	
SSEAL-1QT		1 Quart ShowerSeal Waterproofing		\$ 16.95	
SSEAL-1GAL		1 Gallon ShowerSeal Waterproofing		\$ 49.95	

A \$65 crating fee may apply due to shipping requirements

*Available Strainer Cover Finishes: Polished Brass, Oil Rubbed Bronze, White, Bisque, Satin Nickel.

SubTotal: _____

Tax 7% (GA Only) _____

Crating _____

Freight _____

Total: _____



25-F Telfair Place, Savannah, GA 31415

Phone: (912)-352-0442 Fax: (912)-352-4204

Fax Completed Order Forms To: 1-912-352-4204



Fax Completed & Signed form to the KBRs Accounting Dept. at: 1-912-352-4204
A copy of your final invoice will be forwarded to you within a few days.

Billing Information

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____

Phone: _____



Card Type: []VISA / []MC / []AMEX

Card #: _____

Exp. Date: _____ / _____

3 Digit VIN: _____

Approval Signature: _____ Date: _____

How To Measure For Your "Qwick-Slope"

Step #1: Measure Stud-to-Stud: Measure the opening of the shower base area between the stud walls.

Step #2: Measure For Drain: Measure the distance from 2 perpendicular stud walls to the "center of drain".

Step #3: Adjust Measurements (Optional): The "Qwick-Slope" can be cut-to-fit in the field. You can order your "Qwick-Slope" larger than your shower opening, and cut it to the required size using a skill saw, jig saw or router. It is recommended that you cut no more than 2" from a side. **(Sizes larger than the original quoted "Qwick-Slope" may require additional charges)**

Step #4: Enter your dimensions on the appropriate dimension form (attached).



Factory Use Only

Name: _____

Ship Via: _____

Dimension Form


Bench Seat: [] Yes [] No

Corner Seat: [] Yes [] No

Leg Ledge: [] Yes [] No

Please enter your required dimensions in the "()" below.

IMPORTANT: The "()" dimensions are for the "Basin Area" only. **4" will be added for the curb.**



Customer Approval Signature: _____ Date: _____

Fax Completed Order Forms To: 1-912-352-4204

Factory Use Only

Production #: _____ Required Ship Date: _____

Dimension Form

Name: _____

Ship Via: _____


Bench Seat: [] Yes [] No

Corner Seat: [] Yes [] No

Leg Ledge: [] Yes [] No

Please enter your required dimensions in the "()" below.

IMPORTANT: The "()" dimensions are for the "Basin Area" only. **4"** will be added for the curb.



Customer Approval Signature: _____ Date: _____

Fax Completed Order Forms To: 1-912-352-4204

Factory Use Only

Production #: _____ Required Ship Date: _____